

### Hearing in later life

International Federation on Ageing

0000

#### INTERNATIONAL FEDERATION ON AGEING (IFA)

000

## IFA, Hearing Health, and the Decade of Healthy Ageing

### oooo Evidence is not

# enough for

# advocacy

#### ical Review & Education

JAMA | US Preventive Services Task Force | RECOMMENDATION STATEMENT Screening for Hearing Loss in Older Adults US Preventive Services Task Force Recommendation Statement

MPORTANCE Age-related sensorinum likering loss is a common health problem among adults. Nearly 1956 of CS adults 1959 years or cider report difficulty hearing: The providence of provinced hearing loss increases with ally. Health in the massociated with increased in a difficulty to function independently and has been associated with increased in a difficulty to function acquerite decision. The USP meetings berrices Table Fore URECENTLY supports its 2002 recommendation, the USP meetings barries table fore URECENTLY in support and commendations, the USP meetings barries table fore URECENTLY in support and commendations.

or older. POPLIATION Asymptomatic adults 50 years or older with age-related hearing loss. EVIDENCE ASSESSMENT Because of a lack of evidence, the USPSTF concludes that the benefits and homes of screening for hearing loss in anomptomatic older adults

the benefits and harms of screening for hearing ions in asymptomatic older adults are uncertain and that the balance of benefits and harms cannot be determined. More research is needed. RECOMMENDATION The USPSTF concludes that the current evidence is insufficient to

assess the balance of benefits and harms of screening for hearing loss in older adults. () statement)

THE LANCET

ATTERS | VOLUME & SOLUE & SOLU

Tess Bright, PhD • et al. Show all authors • Show fuctoritys
Upter Access • Published: April 13, 2023 • DOI: https://doi.org/10.1016/52468

#### Sur

Background Dementia and hearing loss are both highly prevalent conditions among older adults. W bearing aid use and risk of all cause and cause-specific dementia among middle-aged a second second second advances and second Verse 2,351 Citations 2 Altmetric 50 Comments

Original Investigation (Public Health Argent 27, 2000 Comparison of Self-reported Measures of Hearing With an Objective Audiometric Measure in Adults in the English Longitudinal Study of Ageing

> An Langes managements and the first frame shared, well there transport, and 1 - Star Management mathematicas and and the star of the sta

could be undiagnosed

#### RESEARCH HIGHLIGHTS

Hearing aids slow cognitive decline in people at high risk

September 14, 2023

Aging Biology Health Care Research Sensory Impairment Dementias

#### From NIH Research Matters

As the world population ages, the number of people living with dementia and other types of cognitive impairment continues to rise. Safe and affordable interventions to prevent or slow age-related cognitive decline are greatly needed.

0000

### Pillars of Action – Barriers to seeking hearing care



Removing barriers to access appropriate EHC throughout life to ensure all people are protected and no one is left behind.

Access

#### Equity

Reduce inequities in timely, appropriate, and affordable access to EHC services and assistive devices throughout life.

## Alignment of Intergovernmental Agendas

0000





World Health Organization

WORLD REPORT



Tracking universal health coverage 2023 global monitoring report









framework for countries to achieve an integrated continuum of long-term care

in the community (physical space, transport, telecommunications, access to assistive devices). The physical infrastructure of many health and social care settings is far from prepared to attend to older people's needs - there is often a lack of adequate community care centres, no universal design (such as provision of accessible toilets in buildings), physical barriers to access, and communication barriers resulting from a lack of accessible information for people with hearing loss and visual impairment. Poor home accessibility, lack of services for home modification, difficult access to assistive products, and violent neighbourhoods can significantly impact the care provided by care workers and carers. In addition, there is a shortage of affordable transportation, particularly for those living in rural areas where the concentration of services is further reduced. This is compounded by a lack of coordinated referral systems (63) and transition of care services that link acute care to long-term care services when needed. Multisectoral action to strengthen environmental infrastructure will contribute to ageing in place as well as enhancing the quality of life for all, as environments play a fundamental role in the maintenance of functional ability

0000

#### INTERNATIONAL FEDERATION ON AGEING (IFA)

### Prioritizing person-centered care

0000



### Thank you